

Work Order ID 136245

Friday, August 28, 2015 2:22:59 PM

136245

Page 1

Item ID: 646.3314

Revision ID:

Item Name: Blade

Start Date: 8/28/2015 Start Qty: 8.00

Required Date: 8/28/2015 Req'd Qty: 8.00

Reference:

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Customer:

Approvals:

Process Plan: SH/LC

Date: 20150901

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
646.3300	N/C3								

100

0.00

100

BAND SAW

Bandsaw

Memo

0.01

Jeaspa Bandsaw

Cut Blank at 5.050"

110

0.00

110

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.08

HAAS CNC vertical machine #1

1-Machine per folio FB147

DWG REV: N/C3

FOLIO REV: A4

2- deburr and break all sharp edges except otherwise noted

KNIFE EDGE MUST BE SHARPENED USING STONE, REMOVE ALL
BURRS ON CUTTING EDGE

8

SL15-12-2

8

SL15-12-15

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Work Order ID 136245

Friday, August 28, 2015 2:22:59 PM

136245

Page 2

Item ID: 646.3314 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Blade
 Start Date: 8/28/2015 Start Qty: 8.00 ***8*** Cust Item ID:
 Required Date: 8/28/2015 Req'd Qty: 8.00 ***8*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC2- Inspect parts off machine FAI/FAIB	0.00				8	0		SL5-12-15
120									
QC	Memo	0.00							
Quality Control									
130	QC8- Inspect parts - second check	0.00				8	0		DAS 14 9-89
130									15/12/16
QC	Memo	0.00							
Quality Control									
140	Outsource process - Heat Treat	0.00							
140									
Outsource1	Memo	32.00							
Outsource process - Heat Treat	HEAT TREAT AS PER DWG, SEE NOTE #3								
	ISSUE P/O: 30868								

CZ JAN 05 2016 8

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			

Work Order ID 136245

Friday, August 28, 2015 2:22:59 PM

136245

Page 3

Item ID: 646.3314 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Blade
 Start Date: 8/28/2015 Start Qty: 8.00 ***8*** Cust Item ID:
 Required Date: 8/28/2015 Req'd Qty: 8.00 ***8*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Receive & Inspect for Damage & Mat'l Certs	0.00							
150									
Packaging	Memo	0.00							
Packaging									
155	QC5- Inspect part completeness to step on W/O	0.00							
155									
QC	Memo	0.00							
Quality Control									
160	Spray Painting per QSI005 4.2	0.00							
160									
SprayPaint	Memo	0.00							
Spray Painting	PRIME AS PER DWG, SEE NOTE #4								
	PRIMER BATCH: <u>132403</u>								

8x SP16-014

8

DAS
38
9-89
JAN 15 2016

8

DAS
41
9-89
16-1-19

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 136245

Friday, August 28, 2015 2:22:59 PM

136245

Page 4

Item ID: 646.3314

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Blade

Start Date: 8/28/2015 Start Qty: 8.00

8

Cust Item ID:

Required Date: 8/28/2015 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170	QC14- Inspect Spray Paint	0.00							DAS 38 9-89
170						⑧			
QC	Memo	0.00							
Quality Control									JAN 20 2016
180	Identify as per dwg & Stock Location: <u>CC12/03</u>	0.00							
180									
Packaging	Memo	0.00							
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.01							
Quality Control									

JAN 20 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Picklist Print

Friday, August 28, 2015 1:53:10 PM

Page 1

Work Order ID: 136245

136245

Parent Item: 646.3314

646.3314

Parent Item Name: Blade

Start Date: 8/28/2015

Required Date: 8/28/2015

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP REV:A NEW ISSUE 12/11/07 JFS VERIFY BY: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MSTEEL-A2- B0.500X1.250		Purchased		No		100	f	142.4520	0.421	3.545263			

MSTFFI -A2-B0 500X1 250

JK-12-2

AISI A2 TOOL STEEL BAR, 0.500 X 1.250

Location

Loc Qty

Loc Code

MAT010

142.452

M126438

5.452

M127494

9

M131783 x

128

3.4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

INDUSTRIES, INC.

04765

SHEET 1 OF 1

REV: NC

PREPARED BY J. SOTO

DATE: 12/08/2014

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: UPPER CUTTER ASSY

APPROVED BY: ENGR. 

MFC Dwight Baker

QC 

EFF. NEXT ORDER

TRANSACTION CODES (TC):

A-ADD	C-CREATE
R-REVISE	D-DELETE



REASON: ADDED HOLE DIMENSION TO 646.3313.

SHEET 5 IS:

201 50 901

136245

56



DOCUMENTS EFFECTED:

☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM

CHANGE CATEGORY

☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED

☐ YES ☒ NO

APICAL
INDUSTRIES, INC.

ENGINEERING CHANGE NOTICE NO. 03724

SHEET 1 OF 1

DWG NO. 646.3300

REV: N/C

PREPARED
BY B. PETERS

DATE: 12/05/12

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: UPPER CUTTER ASSY

APPROVED BY: ENGR

MFG

QC


EFF: NEXT ORDER

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

REASON:

REVISED ORDINATE DIMENSION.

ECR:
D-12-025



SHEET 4, ZONE B8 IS:

DOCUMENTS EFFECTED:

☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM


CHANGE CATEGORY
☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED
☐ YES ☒ NO

APICAL
INDUSTRIES, INC.


ENGINEERING CHANGE NOTICE NO.		02196		SHEET 1 OF 2	
DWG NO.	646.3300	REV: N/C	PREPARED BY	S. HUFF	DATE: 01/05/09
DWG TITLE:		UPPER CUTTER ASSY			
APPROVED BY:	ENGR <i>[Signature]</i>	MFG	<i>[Signature]</i>	QC	<i>[Signature]</i>
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE		REASON: REMOVED RIVETS IN FAVOR OF ADDITIONAL SCREWS			
		EFF:		NEXT ORDER	

SHEET 1, VIEW 646.3301 IS:



14	R	601.2765	18	SCREW	MS27039-0819
10	R	601.1541	18	LOCKNUT	MS21042L08
9	D	601.2766	3	RIVET	MS20470AD5-18
8	R	601.2764	36	WASHER	NAS1149FN832P
			3301		
F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED:				CHANGE CATEGORY	DER REVIEW REQUIRED
				☐ MDL ☒ INSTALL INSTRUC ☒ ICA ☐ FMS ☒ BOM	☐ MAJOR ☒ MINOR
					☐ YES ☒ NO

SHEET 3, SECTION VIEW A-A, IS:




SECTION A-A 2/26

C	PART NUMBER	QTY	DESCRIPTION	MATERIAL / SPECIFICATION

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED



UNINCORPORATED ECN(S)

02196, 03724, 04765

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK; CARDINAL 4860-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377J TYPE I CLASS N
- 3 MATERIAL: AISI A2 TOOL STEEL; CONDITION: ANNEALED; POST PROCESS: HEAT TREAT TO 58-62 RC ROCKWELL HARDNESS
- 4 FINISH: PRIME IAW MIL-P-23377J TYPE I CLASS N
- 5 DEBURR AND BREAK ALL SHARP EDGES EXCEPT WHERE OTHERWISE NOTED
- 6 IDENTIFY IAW MPP-120
- 7 APPLY F/N 15 AS REQUIRED TO ALL FAYING SURFACES OF F/N 5, 6 & 7 UPON ASSEMBLY
- 8 CUTTING EDGE INTENDED TO BE SHARP, DO NOT BREAK SHARP EDGE
- 9 INSTALL FASTENER FINGER-TIGHT

646.3301
SHOWN EXPLODED


QTY	FIND #	PART #	DESCRIPTION	MAT'L	SPEC.
1	16	601.2834	BOLT	A192-16A	
A/R	15	601.2045	RTV, LOCTITE 598		
15	14	601.2765	SCREW	M527039-0819	
3	13	601.1624	LOCKNUT	M521042L3	
2	12	601.2763	BOLT	A192-12A	
6	11	601.1607	WASHER	M52114990332P	
15	10	601.1541	LOCKNUT	M521042L3	
3	9	601.2766	RIVET	M520470A05-18	
30	8	601.2764	WASHER	M52114991632P	
1	7	646.3316	BLADE		
1	6	646.3315	BLADE		
1	5	646.3314	BLADE		
1	4	646.3313	UPPER GUIDE		
1	3	646.3312	CENTER PLATE		
1	2	646.3311	RH HALF		
1	1	646.3310	LH HALF		
1		646.3301	UPPER CUTTER ASSY		
201					

QTY	DESCRIPTION	MAT'L	SPEC.
1	646.4000		


ORIGINAL DATE JAN 04 1991	DESIGNED BY S. HURP	DATE 08-26-98
DRAWING APPROVAL P. BRAVO	CONTRACT NO.	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACE DECIMALS ± .01 2 PLACE DECIMALS ± .005 ANGLES ± .5°		SHEET R	CAGE CODE 07M26	DWG. NO. 646.3300	REV. N/C
SCALE NONE		SHEET 1 OF 8			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




SECTION A-A

SECTION B-B

ORIGINAL DATE: 08-20-00		APICAL INDUSTRIES	
DRAWN BY: J. HUFF		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: P. BRAY		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL:		UPPER CUTTER ASSY	
CONTRACT NO.:		646.3300	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .005 ANGLES ± .5°		SHEET: B	REV: NTC
SCALE: NONE		SHEET 3 OF 8	




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED






DETAIL A



ORIGINAL DATE 06-20-05	APICAL INDUSTRIES		
DRAWN BY S. HUFF	CHECKED BY P. BRAVO	2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL P. BRAVO			
DATE 06-20-05			
CONTROLLER CT 120			
UPPER CUTTER ASSY			
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.002 ANGLES ±.5°			
SIZE B	CAGE CODE 07M26	DWG. NO. 646.3300	REV. N/C
SCALE NONE		SHEET 5 OF 8	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED






646.3314

ORIGINAL DATE 10/01/01 06/26/06		APICAL INDUSTRIES	
DRAWN BY: JENICER		2608 TEMPLE HEIGHTS DR.	
3. HUR		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL P. BRAVO		UPPER CUTTER ASSY	
06/26/06			
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 7 PLACE DECIMALS ±.01 2 PLACE DECIMALS ±.005 ANGLES ±.5°		SUP B	REV N/C
SCALE NONE		DWG. NO. 646.3300	SHEET 6 OF 8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED






646.3315

ORIGINAL DATE 08-26-08		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWN BY S. HUFF	CHECKED P. BRAY		
DRAWING APPROVAL P. BRAY		UPPER CUTTER ASSY	
CONTRACT NO.		SHEET 7 OF 8	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.002 ANGLES ±.5°		SHEET CODE B 07M26	DWG. NO. 646.3300
SCALE NONE		REV. N/C	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISION			
REV.	DESCRIPTION	DATE	APPROVED



646.3316

ORIGINAL DATE 10-26-08		APICAL INDUSTRIES	
DRAWN BY: C. HOFF		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: P. BRAVO		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL		UPPER CUTTER ASSY	
P. BRAVO			
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.003 ANGLES ±.5°		SHEET B	REV N/C
SCALE: NONE		DWG. NO. 646.3300	SHEET 8 OF 8



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30868.**

Purchase Order Date 1/5/2016

PO Print Date 1/5/2016

Page Number 1 of 3

Order From :

VC-MET004

Ship To : DART AEROSPACE LTD

METCOR INC.
560 BOUL. ARTHUR SAUVE
SAINT-EUSTACHE, QC J7R 5A8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 450 473 1884

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	136135	646.3013 BLADE	1/19/2016 Yes 1/19/2016		12.00	\$0.00	\$0.00
FINISH: HEAT TREAT TO 58-62 RC ROCKWELL HARDNESS							
PART ARE MADE FROM AISI A2 TOOL STEEL							
PLEASE NOTE: DETAIL C OF C REQUIRED							
Line Total:							\$0.00
2	136245	646.3314 BLADE ✓	1/19/2016 Yes 1/19/2016		8.00	\$0.00	\$0.00
FINISH: HEAT TREAT TO 58-62 RC ROCKWELL HARDNESS							
PART ARE MADE FROM AISI A2 TOOL STEEL							
PLEASE NOTE: DETAIL C OF C REQUIRED							

Note:

1/5/2016

SP/6-01-14

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ
ST-EUSTACHE, QC J7R 5A8
Tel: 450-473-1884 / Fax: 450-491-5498

Reçu de livraison

Delivery Receipt

BON DE TRAVAIL Order	EXPÉDITEUR Shipper ID	BON D'EXPÉDITION Shipper
307612	1	107795

EXPÉDITION COMPLÈTE / Shipped Complete

CLIENT /Customer 215

DART AEROSPACE
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053



LIVRÉ À / Shipped To

DART AEROSPACE
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053

COMMANDE DU CLIENT Customer PO	BON DE LIVRAISON DU CLIENT Customer Shipper No.	TYPE DE MATÉRIEL Material Type	DATE DE LA COMMANDE Order Date	TRANSPORTEUR Carrier
30868		A2	2016/1/7	fed

QUANTITÉ Quantity	No. PIÈCE / Part No.	NOM DE LA PIÈCE / Part Name	DESCRIPTION DE LA PIÈCE Part Description	POIDS Weight
----------------------	-------------------------	--------------------------------	---	-----------------

68 646.3013 BLADE

23,32

(12) 646.3013 BLADE 136135

(8) 646.3314 136245

(18) 646.3316 136513

(30) 646.9711 138180

16-01-14

1 BOITE DE CARTON

TYPE DE CONTENEUR Container Type	# DE CONTENEURS # Of Containers	COMMENTAIRES CONTENEUR Container Comments
-------------------------------------	------------------------------------	--

BOITE DE CARTON

1

CERTIFICAT

EMPAQUETAGE Packing	
-------------------------------	--

QUANTITÉ EXPÉDIÉE / Quantity Shipped : 68

POIDS EXPÉDIÉ / Weight Shipped : 23,32

QUANTITÉ RESTANTE / Quantity Remaining : 0

POIDS RESTANT / Weight Remaining : 0,00

CERTIFICAT

QUANTITÉ EXPÉDIÉE / Quantity Shipped : 68

POIDS EXPÉDIÉ / Weight Shipped : 23,32

Signature:

Date:

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Rapport d'Inspection

Inspection Report

BON DE TRAVAIL order	CHARGEMENT load
307612	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K8A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K8A 1K7

1

COMMANDE DU CLIENT customer po	BON DE LIVRAISON DU CLIENT customer shipper no.	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
30868		A2		
SPÉCIFICATIONS DU PROCÉDÉ processing specifications				
VAC HARDEN				
HARDEN AND TEMPER				
EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results	
HARDNESS	58 - 62 HRC	5	58 - 61 HRC	
QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description		
68	23,32	646.3013 BLADE (12) 646.3013 BLADE 136135 (8) 646.3314 136245 (18) 646.3316 136513 (30) 646.9711 138180 1 BOITE DE CARTON		

Sp/6-01-14.

COMMENTAIRES / comments

APPROUVÉ par / Approved by:

DATE: 2016-01-10

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité Détaillé

Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
307612	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

1

COMMANDE DU CLIENT customer po	BON DE LIVRAISON DU CLIENT customer shipper no.	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
30868		A2		
SPÉCIFICATIONS DU PROCÉDÉ processing specifications				
VAC HARDEN				
HARDEN AND TEMPER				
EXIGENCE / requirement SPÉCIFICATIONS / specified TESTS EXÉCUTÉS / performed RÉSULTATS DE TESTS / results				
HARDNESS		58 - 62 HRC	5	59 - 61 HRC
QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description		
68	23.32	646.3013 BLADE (12) 646.3013 BLADE 136135 (8) 646.3314 136245 (18) 646.3316 136513 (30) 646.9711 138180 1 BOITE DE CARTON		

COMMENTAIRES / comments

VAC HARDEN 1800F, 1:30 HR
DOUBLE TEMPER 400F, 2 HRS

Heat treatment (HT) was performed with equipment that meets the requirements of requested specification. All HT operations were performed in compliance with the required HT specification and all verifications have been performed and documented. No unauthorized changes were performed in regards to the HT. We certify that the material was manufactured, sampled, tested and inspected in accordance with the material specification and the purchase order and was found to meet the requirements.

Le traitement thermique (TT) a été fait en utilisant des équipements en conformité avec la spécification demandée. Toutes les opérations de TT ont été faites en conformité avec les requis de la spécification demandée et toutes les vérifications et les tests demandés ont été faites et documentés. Aucun changement n'a été fait par rapport au TT. On certifie que le matériel a été fabriqué, échantillonné, testé et inspecté en accord avec les spécifications du matériel et le bon de commande et le matériel rencontre les exigences spécifiées.

APPROUVÉ par / Approved by:

Isabel Otero
QA Technician



DATE: 2016-01-12